

**To:** Juan\_Somoano@oxy.com[Juan\_Somoano@oxy.com]  
**Cc:** Steve.McGee@tetrattech.com[Steve.McGee@tetrattech.com]  
**From:** Yeh, Alice  
**Sent:** Mon 1/23/2017 5:23:39 PM  
**Subject:** RE: Draft Project Management Plan for OU2 of the Lower Passaic  
PMP Rev 0-EPA comments sent to GSH 2017-01-23.docx

Attached are comments on the PMP. Please let me know if we need to discuss them.

-----Original Message-----

From: Juan\_Somoano@oxy.com [mailto:Juan\_Somoano@oxy.com]  
Sent: Tuesday, December 20, 2016 3:24 PM  
To: Yeh, Alice <Yeh.Alice@epa.gov>  
Cc: Jay.Nickerson@dep.nj.gov; Steve.McGee@tetrattech.com  
Subject: Draft Project Management Plan for OU2 of the Lower Passaic

Alice,

I am happy to submit this first planning document for the remedial design of the Lower 8.3 Miles of the Lower Passaic a month ahead of schedule. As noted in discussion and cover, please don't hesitate to contact me with any questions or comments.

We remain on schedule to submit the Remedial Design Work Plan with the Emergency Response Plan as an attachment in January.

Thanks.  
Juan

Juan P. Somoano, P.G., CAPM  
VP Operations  
Glenn Springs Holdings, Inc.  
5 Greenway Plaza, Suite 110  
Houston, TX 77046  
W: 713-215-7473  
C: 214-608-0168